
Fabric backed Felt favors THL Elaine Ladd lynn.mcadams@gmail.com

You will need:


a piece of Fabric 5 by 15 inches a piece of felt 4 by 8 inches Coordinating and or contrasting thread fabric glue beads, braid and other decorative objects Equipment needed: Needle if hand sewing Sewing machine if available Pins Fabric Scissors Snips Toothpick

Cut out your fabric and felt Zigzag around your fabric Stitch your seam allowance width inside the fabric piece






Clip the corners half way to the stitching




Turn a quarter of an inch under (towards the back)



Do this again, pin in place





Very carefully stitch the edge down to encase the raw edges If possible miter your corners, if not stitch the sides down first then the ends



Pin the felt to the fabric front (you can decide which is which).

Stitch the felt to fabric one three sides, do not include the top, That is where the belt lope goes. Sew together either by outlining it or using whatever pattern floats your boat. You now have an inside and an outside side.

Turn the piece over



Fold the fabric that does not have felt attached and make sure there is at least three inches folded over This should sit under the felt piece, if not move it down so it does



Stitch through the layers to attach the flap.



Decorate with cut pieces of felt glued on as well as other things like beads and spangles. DO NOT USE GLITTER

For a nicer look use bias tape to outline and finish your edges





Let sit overnight Done